

M133KML(HB)

13.3" Intel® Core™ i5 軍規等級超強固型平板電腦



KEY FEATURES

- 第七代 Intel® Core™ i5-7200U, 2.5 GHz (渦輪增壓至 3.1 GHz) 處理器
- 13.3英寸1920 x 1080解析度 半透射TFT LCD面板
- 利用日光下可讀螢幕500 nits和光學貼合, 可提高清晰度和增強可讀性
- 可選的高亮度800 nits
- 可調節支架, 可轉換為手柄(可選)
- 通過IP65防塵防水認證
- 鎂合金外殼, 全能彈性橡膠
- MIL-STD-38999連接器, 用於LAN/USB2.0和Power/RS232/422/485輸入
- 全密封無風扇散熱設計
- 符合MIL-STD-810G




SPECIFICATIONS

顯示器			
類型	Projected Capacitive Multi Touch Screen	解析度	1920x1080
尺寸	13.3 inches	對比度	1000:1
面版亮度	500 nits 800 nits(Optional)	可視角	89,89,89,89
系統規格			
處理器	Intel® Core™ i5-7200U Kaby Lake, 2.5 GHz (Turbo up to 3.10 GHz)	記憶體	4GB SODIMM DDR4-2400 8GB SODIMM DDR4-2400 (Optional) 16GB SODIMM DDR4-2400 (Optional)
儲存空間	Storage 1: 1 x 128GB M.2 SSD Storage 1: ignore (Optional) 128GB M.2 SSD (Optional) 256GB M.2 SSD (Optional) 512GB M.2 SSD Storage 2: ignore (Optional) 128GB M.2 SSD (Optional) 256GB M.2 SSD (Optional) 512GB M.2 SSD (Optional)	以太網控制器	1 x RJ45-10/100/1000 Mbps LAN
安全支援	Trusted Platform Module (TPM) 2.0 Computrace theft protection agent	作業系統	Windows 10 IoT Enterprise 64 bit
無線通訊網路	802.11 a/b/g/n/ac	藍牙	BT Support
無線廣域網路	4G/ LTE or 3G (Optional)	全球定位系統	GPS, GLONASS
鏡頭			
前鏡頭	2MP Front Camera	後鏡頭	5MP Rear Camera with auto-focus and LED light
機構			
外觀尺寸	338.2 x 239.8 x 47.2 mm	重量	2.4 Kg (Without Kickstand), 2.8 Kg (With Kickstand)
外殼	Rear Magnesium Alloy Die-Casting Design	冷卻系統	Fanless Design

訊號埠			
USB埠	2 x USB 3.0, 1 x USB 2.0(MIL-STD-38999 connector),1 x USB 3.1(Type C)	序列埠	1 x RS-232 Serial COM Port(MIL-STD-38999 connector)
SD卡槽	1 x Micro SD Slot	影像	1 x HDMI (Optional)
音訊	Microphone: 1 x built-in Digital Mic with Noise Cancellation Speaker: 2 x 1 watt speaker	有線網路	1 x RJ45-10/100/1000 Mbps LAN(MIL-STD-38999 connector)
指示燈	4x LED Indicator for Power, Battery, SSD, RF status		
環境			
工作濕度	30% to 80% RH, non-condensing	工作溫度	-10°C to 50°C (14°F to 122°F)
儲存溫度	-20°C to 60°C (-4°F to 140°F)	衝擊	MIL-STD-810G Method 516.6 Procedure I
振動	MIL-STD-810G Method 514.6 Procedure I	IP防水等級	IP65
落摔	MIL-STD-810G Method 516.6, 4 ft to concrete	靜電防護	ESD (Contact/Air) : 12kV/12kV
認證			
認證	CE, FCC, IC, UL		
安全性			
SOTI MobiControl	SOTI MobiControl Compliance	Kensington Lock	Kensington Lock Support
控制			
按鈕	1 x Power, 1 x menu, 2 x volume key 3 x Programmable Function Keys		
電源			
電池	7.4V, typ. 10280 mAh Li-Polymer Battery (2S2P) Hot-Swap (Optional)	電池使用時間	11 Hours
電源規格	24V DC(MIL-DTL-38999/1 connector)	電源適配器	100-240V, 50-60Hz / 24V DC
配件			
配件	Adapter and PowerCord Standard Battery Stylus Stand with Integrated Handle Power/RS232 External Cable LAN/USB2.0 External Cable	配件選配	Shoulder Strap (Optional) Battery Charger (Optional) Active Pen (Optional)

DIMENSIONS UNIT:MM



NOTE

1. Total usable memory will be less dependent upon actual system configuration.
2. The USB Type-C connector follows USB3.0, standard, which does not support Alternate Mode (ALT) or USB Power Delivery (USB-PD).
3. TPM 2.0 available upon request.
4. Computrace theft protection and SOTI are available upon request.
5. Length measurements do not include protrusions. Weight varies with options.
6. Accessories and integrated options may vary depending on your configuration.
7. This is a simplified drawing and some components are not marked in detail.
8. The product shown in this datasheet is a standard model. For diagrams that contain customized or optional I/O, please contact the Winmate Sales Team for more information.
9. Default uses the silver military connector with RoHs, optional green military connector without RoHs.