

R19IB3S-SPM1-B

19" Intel® Celeron® N2930 B系列IP65不銹鋼工業電腦



KEY FEATURES

- Intel® Celeron® N2930 (2M Cache, up to 2.16 GHz) 處理器
- 無風扇冷卻系統
- 用於食品和化學工業的SUS 316 / AISI 316不銹鋼
- 全IP65防水外殼, 良好的耐腐蝕性
- 真正的平坦, 易於清潔的前表面, 具有邊緣到邊緣的設計
- 支持VESA安裝
- 旋轉開關可調節手/雨/手套應用的不同觸摸模式
- 緊急和扁平按鈕, 用於自動化設備控制
- 光學貼合(可選)

CE FCC



SPECIFICATIONS

顯示器			
解析度	1280x1024	尺寸	19 inches
對比度	1000:1	面版亮度	250 nits
可視角	85,85,80,80	可視區	376.32x301.06 mm
類型	Projected Capacitive Multi Touch Screen		
系統規格			
處理器	Intel® Celeron® N2930 (2M Cache, up to 2.16 GHz)	記憶體	1 x SO-DIMM, DDR3L 1600 MHz, 4GB 8GB (Optional)
儲存空間	1 x mSATA SSD 64GB. mSATA SSD up to 512GB. (Optional)	以太網控制器	2 x Intel® Gigabit Ethernet Controller
作業系統	Windows 10 IoT Enterprise (Optional) Linux Ubuntu 18.04 (Optional)	無線通訊網路	Support (Optional)
藍牙	Support (Optional)		
機構			
外觀尺寸	516 x 395 x 69 mm	安裝	VESA Mount
外殼	Stainless Housing	冷卻系統	Fanless design
環境			
工作濕度	10% to 90% (non-condensing)	工作溫度	0~45°C
儲存溫度	-20~60°C	IP防水等級	IP65
認證			
認證	CE, FCC		
訊號埠			
電源輸入	1 x M12 waterproof connector for 12V DC	USB埠	1 x M12 waterproof connector for 2 x USB2.0 1 x Front waterproof connector for USB2.0 type-A
序列埠	1 x M12 waterproof connector for RS232	擴充端口	CN1 and CN2 for front button control
有線網路	1 x waterproof Giga LAN RJ45 connector	指示燈	1 x LED Indicator for power 1 x LED Indicator for storage
控制			
按鈕	Rear side: 1 x Power Button 1 x Reset Button		

Front side:
 1 x Emergency Button & 3 x Flat Button for CN1 &
 CN2 M12 connector
 1 x Rotary Switch for touch mode

配件

配件

100~240V AC to DC Adapter with waterproof connector
 Power Cord
 External USB cable with waterproof connector
 External COM cable with waterproof connector
 External LAN cable with waterproof connector
 External cables for CN1 & CN2 with waterproof connector
 Waterproof caps
 RJ45 female-female converter
 Driver CD & Manual
 VESA screws

配件選配

1 x Open wire cable for M12 connector


電源

電源規格

M12 Type: 12V DC in
 9~36V DC (Optional)

DIMENSIONS UNIT:MM

Winmate R19IB3S-SPM1-B



NOTE

1. This is a simplified drawing and some components are not marked in detail.
2. The product shown in this datasheet is a standard model. For diagrams that contain customized or optional I/O, please contact the Winmate Sales Team for more information.
3. All specifications are subject to change without prior notice.